

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14984	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L2	35756	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L3	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L4	13877	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L5	78	L1 and L2 and L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L6	21407872	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L7	39	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L8	38	L7 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20

L9	38	L8 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L10	38	L9 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L11	33	L10 and (update\$3 with (resource allocation\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L12	31	L11 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L13	33	L11 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L14	23	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L15	0	L14 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L16	0	L14 and vhd1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20

L17	18	L14 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L18	23	L11 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L19	26	L13 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L20	14984	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L21	35756	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L22	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L23	13877	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L24	78	L20 and L21 and L22 and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20

L25	21407872	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L26	39	L24 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L27	38	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L28	38	L27 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L29	38	L28 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L30	33	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L31	31	L30 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L32	33	L30 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20

L33	23	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L34	0	L33 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L35	0	L33 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L36	38	L26 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L37	33	L29 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L38	18	L33 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L39	23	L30 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:20
L40	26	L32 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L41	1	(US-6661788-\$).did.	USPAT	OR	OFF	2005/11/23 11:21
L42	0	L41 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2005/11/23 11:21

L43	1	L41 and pend\$3 with request	USPAT	OR	ON	2005/11/23 11:21
L44	14984	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L45	35756	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L46	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L47	13877	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L48	78	L44 and L45 and L46 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L49	21407872	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L50	39	L48 and L49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L51	38	L50 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21

L52	38	L51 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L53	38	L52 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L54	33	L53 and (update\$3 with (resource allocation\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L55	31	L54 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L56	33	L54 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L57	23	L54 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L58	0	L57 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L59	0	L57 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21

L60	14984	(allocat\$4 with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L61	35756	(pointer vector) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L62	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L63	13877	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L64	78	L60 and L61 and L62 and L63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L65	21407872	@ad<="20011012"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L66	39	L64 and L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L67	38	L66 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21



L68	38	L67 and (physical link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L69	38	L68 and queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L70	33	L69 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L71	31	L70 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L72	33	L70 and (bit flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L73	23	L70 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L74	0	L73 and verilog	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L75	0	L73 and vhdl	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L76	1	(US-6661788-\$).did.	USPAT	OR	OFF	2005/11/23 11:21
L77	0	L76 and pend\$3 with request with (pointer vector)	USPAT	OR	ON	2005/11/23 11:21

L78	1	(US-6661788-\$).did.	USPAT	OR	OFF	2005/11/23 11:21
L79	1	L76 and pend\$3 with request	USPAT	OR	ON	2005/11/23 11:21
L80	38	L50 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L81	33	L53 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L82	18	L57 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L83	23	L54 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L84	26	L56 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L85	38	L66 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L86	33	L69 and (updat\$3 with (resource allocat\$4 table pointer vector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L87	18	L73 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21

L88	23	L70 and (bit and flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L89	26	L72 and logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L90	2309	verilog and vhdl	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L91	1161	L49 and L90	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L92	491	L91 and resource	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L93	106	L91 and (resource with allocat\$4)	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L94	11	"370"/\$.ccls. and L93	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L95	10	(order adj appear\$4) with (list stack queue) with (pointer vector)	USPAT	OR	ON	2005/11/23 11:21
L96	10	L65 and L95	USPAT	OR	ON	2005/11/23 11:21
L97	0	(order adj appear\$4) with (list stack queue) with (pointer vector) with direction	USPAT	OR	ON	2005/11/23 11:21
L98	0	(list with resource with ordered with appearance)	USPAT	OR	ON	2005/11/23 11:21
L99	5063	(order adj3 appearance)	USPAT	OR	ON	2005/11/23 11:21
L100	3	L99 with resource	USPAT	OR	ON	2005/11/23 11:21
L101	25	L65 and L89	USPAT	OR	ON	2005/11/23 11:21
L102	3	L49 and L100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L103	3627	(order adj3 listed)	USPAT	OR	ON	2005/11/23 11:21
L104	68	"370"/\$.ccls. and L103	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L105	66	L49 and L104	US-PGPUB; USPAT	OR	ON	2005/11/23 11:21
L106	1	L76 and (memory storage)	USPAT	OR	OFF	2005/11/23 11:21
L107	0	L76 and exclud\$3	USPAT	OR	ON	2005/11/23 11:21

L108	1	L76 and second	USPAT	OR	ON	2005/11/23 11:21
L109	1	L76 and next	USPAT	OR	ON	2005/11/23 11:21
L110	1	L76 and table	USPAT	OR	ON	2005/11/23 11:21
L111	3	(vajjhala schober).inv. and vector. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L112	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L113	2322	(rank\$3 priority) near3 (vector pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L114	13877	(request\$3 pend\$3) with (pointer vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21
L115	40422	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:21